

# CO-Protégé: A Groupware Tool for Supporting Collaborative Ontology Design with Divergence

Alicia Díaz<sup>1,2</sup> and Guillermo Baldo<sup>1</sup>

<sup>1</sup>Lifia, Fac. Informática- UNLP, CC 11, 1900 La Plata, Argentina

<sup>2</sup>Loria, Campus Scientifique, B.P. 239, 54506 Vandœuvre-lès-Nancy cedex, France  
{alicia.diaz, guillermo.baldo}@sol.info.unlp.edu.ar

## 1 Working in Co-Protégé

CO-Protégé is a set of plugins that extends Protégé-2000 [Gennari03] in order to support a collaborative developing of an ontology. In Co-Protégé people do not make a direct edition of the shared ontology, but also they change it by means of the publication of ontological artifact. Co-Protégé users manage simultaneously two ontologies: the private ontology and the shared one. Private ontology can be edited in the private workspace as users were working in a stand-alone fashion. There is also a shared workspace where the shared ontology is updated by means of the publication of ontological contributions, even divergent contribution. Divergent contributions make possible the coexistence of many conceptualizations simultaneously at the shared ontology [Diaz05]. They are the resource to discuss the design of an ontology. Most of collaborative edition functionalities are provided through a special tab, the shared-private tab that overlaps both workspaces and allows user to manipulate simultaneously their private and the shared ontology. Figure 1 is a snap-shot of the interface of Co-Protégé when a user has already logged into the system.

Co-Protégé imposes its own manner of carrying out the collaborative developing of an ontology. Users edit the private ontology in the private workspace and then, they can publish ontological artifacts to the shared ontology. Edition at the private workspace is carried out as users were working in a stand-alone fashion in Protégé-2000. The shared ontology is manipulated in a shared workspace and its "edition" is carried out through publications.


Co-Protégé visualization conserves the philosophy of Protégé-2000 (see Figure 1). There are tabs for modeling the shared-private workspace, the conflict tab, the user tab and the difference tab.

**Shared-Private tabs.** Co-Protégé proposes tabs that "overlap" both workspaces in the same tab. This kind of tab joins both the private and the shared ontologies, easily achieving to a direct manipulation of the two ontologies (Figure 1). To alternate between both ontologies is easy, because they are visually overlapped. Only the private side of a shared-private tab has the same functionality that the Protégé-2000 to edit a single ontology; the shared side cancels them because the shared ontology is updated by publications. There is one tab for each kind of frame (class, slot and instance) and each one shows the two ontology versions: the private and the shared. They are the classes-shared-private tab, the slots-shared-private tab and the instances-shared-private tab. There is a series of operations that allows making contributions from one side to the other. They are organized in two groups: publications from private to shared side and publications from shared to private side. Contributions from private side to the shared are always augmentative. The system makes incompatibility checking each time a publication is performed, and it is completed only if the publication is augmentative. Whatever is the checking result, Co-Protégé informs this result on the bottom the shared-private workspace tab. Besides, at the shared-private tab it is also possible to open conflicts (see conflict tab).

**User tab.** This is the tab to manipulate the user profile, to manage user interest. Users' interest can point to any kind of frame describe by the metamodel of Co-Protégé, that is, elements of the shared ontology, other users, conflicts and conflict components. There are some cases where the system is in charge of changing user profile, by tracking user activity. Then, this may be used to adapt delivered awareness information. Co-Protégé provides a set of suggestions that helps users to complete their profile.

**Conflict tab.** A conflict is created in the shared-private tab by selecting the set of frames that will be put in conflict. After that, the frame are shown with "in conflict" icon. To facilitate the visualization of conflict, it was decided to separate the conflict management form the shared-private tab. The conflict tab defines a space where users can browse and develop a conflict. Once a conflict was created, it becomes part of the conflict list, where all currently open conflicts are enumerated. Users can add alternatives and

argumentations. Alternative are created with frames from the private ontology. It is the mechanism that enables to publish contributions that did not pass the compatibility checking.



**Fig. 1.** A snapshot of Co-Protégé. Both private and shared ontologies can be appreciated simultaneously. The black rectangle remarks the associated property pane to the current ontology.

### 3 Implementation Features

Co-Protégé extends Protégé through the definition of some plugins. The resulting architecture looks like any other Protégé extension because it follows the Protégé extension philosophy. In Co-Protégé a project is made up of the shared ontology plus a private ontology (one for each user). Both kinds of ontologies are stored in Standard Text File format. Co-Protégé is a client-server application, where a project is defined as a Protégé's metaproject. In this metaproject are defined every ontologies (the shared and each private) and the access permissions.

Co-Protégé uses the Protégé-knowledge model: classes, slots, facets and instances. However, it differs at the Protégé-2000 metamodel level. Co-Protégé uses two different metamodels to model both the private and the shared ontologies. Any private ontology is considered as a Protégé-2000 project. However Co-Protégé proposes its own metaclass architecture, which is an extension of the Protégé-2000, to model the primitive frames of a shared ontology (shared-class, shared-slot, etc.) and conflict primitives. Besides, Co-Protégé defines a set of generic ontologies to model the knowledge about the community and the collaborative activity.

The Co-Protégé prototype was developed only to manage the conceptual design of the shared ontology, still remains the treatment of instances.

### References

- [Diaz05] Diaz, A. 2005. Divergence Occurrences in Knowledge Sharing Communities. PhD Thesis, to be presented during 2005.
- [Gennari03] Gennari J., M. A. Musen, R. W. Ferguson, W. E. Grosso, M. Crubézy, H. Eriksson, N. F. Noy, S. W. Tu. 2003. The Evolution of Protégé: An Environment for Knowledge-Based Systems Development. International Journal of Human-Computer Studies archive Volume 58, Issue 1 89-123 ISSN:1071-5819